

StoCleyer W Facade panels with timber

appearance

Prefabricated timber constructions

Facade

·

Facade coverings

StoCleyer W facade panels can be used to create an authentic timber appearance on external wall insulation systems. The panels are quick and easy to apply. They are more costeffective and durable than real wood and can be painted in many colours.

StoCleyer W Timber appearance for facades

Cladding external wall insulation systems with real wood results in additional costs and is more time-consuming. Now there is a more cost-effective alternative with StoCleyer W.

Low-maintenance facades that stay pristine for longer

StoCleyer W facade panels are available in many different grains. They can be painted in a wide range of colours and the appearance hardly differs from that of real wood. At the same time, the material is more durable and easier to maintain.

Without additional structural work

The panels in 200 cm x 16 cm format can easily be cut to size with a utility knife and, unlike real wood or plastic panels, do not require any elaborate sub-construction or complicated detail connections.

Greater planning flexibility

The decision to clad the facade with StoCleyer W can be made at short notice, because the way in which the external wall insulation system is built up remains unchanged up to the base coat. There is a lot of scope for design – from the creation of specific accentuated areas to full-surface use for the authentic appearance of a wooden house.

Easier and safe to apply

As a component of the external wall insulation system, the facade panels are bonded in place quickly and securely and comply with building inspection requirements.

For a prefabricated construction, the panels can also be easily processed at the factory. In addition to polystyrene, you can also choose stone wool insulation boards and stone wool insulation lamellas as insulants.



Title page/Right-hand inside page: Office building, Hanse Haus, Oberleichtersbach, DE Photo: Axel Stefan, Frankfurt, DF Image on the inside page:

It's almost impossible to tell the difference between StoCleyer W and timber. •



Colour shades as required

Lasure

StoCleyer W can be glazed in various colour shades with StoAqua Top Satin. Featuring 40 colour shades, the StoLasuren range has been developed specifically for application on many different substrates, including StoCleyer facade panels.

Covering paint coat

StoCleyer W can be coated not only with lasures but also with Sto facade paints. The shades from the "Architectural Colours" fan are available for this purpose.

Always observe light reflectance values:

Colour shades with a light reflectance value of up to 15% are possible for organic base coats and up to 20% for mineral base coats.

The StoLasuren range and the "Architectural Colours" fan can be ordered from your sales representative.

Product advantages

- Authentic timber appearance
- · More cost-effective and durable than real wood
- Hard-wearing and easy to maintain
- Without sub-construction and complicated connections to external wall insulation systems with polystyrene, stone wool insulation boards, and stone wool insulation lamellas
- Simple application at the construction site and at the factory
- Can be painted in many colours
- Technical approval Z-33.47-1705

Headquarters

Your Contact

Sto SE & Co. KGaA Market Development Ehrenbachstrasse 1 79780 Stühlingen Germany

 Phone
 +49 7744 57-1131

 Fax
 +49 7744 57-2428

 infoservice.export@sto.com

 www.sto.com

Sto Werkstatt London Phone +44 20 7222 2221 werkstatt@sto.com werkstatt.sto.com

